Model 3301 and 525




Single-Channel Stationary Leslies

Model 3301 and 525 stationary speaker systems have been designed to amplify and enhance the sound of most keyboard products on the market today. It can also be used to add an additional channel to any Leslie speaker to facilitate multi-channel organs. These Leslies feature a 300-Wart RMS solid-state amplifier. It is the loudest, best sounding stationary speaker that Leslie has ever built! Its five-speaker system produces extremely clean highs and solid deep bass that you can actually feel! To make it easy to connect to most keyboard or electronic organs, we have provided an 11-pin Leslie connector and a "W" line input jack on the rear panel. Master volume and bass and treble controls are provided so that you can adjust the sound to match your room acoustics.

The Leslie 525 cabinet was designed to be placed on top of any traditional Leslie speaker such as our 122XB or 971. It is also suitable for any remote position. You choose the location that gives you the best sound reproduction. Our Leslie 3301 was designed to be placed either on top of the matching 3300 Leslie or directly on the floor. Our Leslie 525 cabinet is constructed of hardwood veneers and finished in a four-coat lacquer finish. The Leslie 3300's rugged cabinet is finished in a high-impact durable black finish and is especially designed for the touring musician. If you desire true stereo separation in your musical performance, use two Leslie 525s or 3301s.

Diagram of model 525 & 3301





Leslie 3301 and 525-W stacked on top of matching Leslie 3300 and Leslie 971 respectively



Leslie 3301



Leslie 971



Specifications:

Single-Channel Input

Two-speed horn and bass rotor: Slow and fast speeds, rise and fall times, and brake time can be adjusted.

Amplifier: Vacuum tube preamp with ear-shattering 300-Watt RMS solid-state amplifier: 220-Watt RMS bass amplifier and 80-Watt RMS treble amplifier

Speakers: Massive 15" woofer, High power horn driver

Inputs: 11-pin and 8-pin Leslie connector, ¼" line input jack, and ¼" foot switch jack

Output: ¼" line output jack suitable to drive a powered sub-woofer

Controls: Master volume, bass, mid-range, treble, horn level, and sub-woofer level.

Cabinet: Rugged-built cabinet with a high-impact black finish, and locking casters.




Single-Channel Portable Leslie

Model 3300 portable Lestile has been designed with the professional touring musician in mind. This single-channel Lestile features a two-speed horn rotor utilizing our high power driver and a bass rotor with a massive 15" woofer. The Lestile 3300 is powered with an ear-shattering 300-Watt RMS solid-state amplifier with a vacuum tube preamp. This is the loudest, best sounding portable Lestile ever! Master volume, bass, mid-range, treble, horn level, and sub-woofer level controls are provided. Slow and fast speeds, rise and fall times, and even brake time can be adjusted. A 11-pin and 8-pin Lestile socket as well as a ½" line input jack are provided. The Lestile 3300 can be connected to most electronic organs and keyboards on the market today. A ½" line output jack suitable to drive an external sub-woofer is also provided.

The Leslie 3300 is housed in a rugged-built cabinet with a highimpact black finish. This will assure that your new Leslie will continue to look like new even after the most brutal road trips. The heavy-duty locking casters will make it a snap to transport the Leslie 3300 to your next performance. The Leslie 3300 has been designed to interface directly with our Portable B3mk2 organ, Traditional and Pro XK Systems, and Hammond's popular XK-1 and XK-3 te Verboards.

Diagram of model 3300



Leslie 3300 Rear Panel



Model 2101 and 2121

Our Newly Enhanced Leslie 2101 Rotary Speaker

Our new Leslie 2.101 mk2, just like its predecessor, is a complete standalone Leslie unit. This versettile multiple channel Leslie can be connected to any keyboard or organ requiring an amplifier with a single channel or multi-channel inputs. A newly design vacuum tube preamp and overtrive section, and advanced Digital Leslie simulator enhances the overall sound quality of this outstanding Leslie product. This unt ontains two stationary channels,

namely, left and right, and a rotary channel. Each of the stationary channels is powered by a new 75W RMS amplifier and the rotary channel is powered by a 50 W RMS amplifier. This gives this Leslie a total output of 200 W RMS. An 11-pin Leslie socket as well as ½" Line inputs are provided for the Rotary.

socket as well as ½. Line inputs are provided for the Rotary channel and for the left and right stationary channels. The musician can adjust the slow and fast speed, the rise and fall time,

as well as the brake time; plus, the settings can be saved. A MIDI terminal enables control of many of the Leslie functions from your organ or keyboard. Best of all, it maintains the traditional Leslie sound.



Specifications:

Three-Channel Input: Rotary, Stationary-L, Stationary-R

Amplifier: Rotary Channel 50 W RMS, Stationary Channel 75 W RMS x 2

Speakers: Horn Driver x 1, 6" Woofer x 2, 2" Tweeter x 2

Inputs: I1-Pin Leslie connector & 8 Pin DIN, 1/8" Line In Phone Jack for Rotary, Stationary-L, Stationary-R
Outputs: Line Out (Stereo Phone Jack), Stationary -L/R, Lower Rotary- L/R, Ext. Speaker Connection for Lower L/R
Controls: Volume: (STA-L, STA-R, ROTARY), Tube Overdrive w/Tube ON/OFF, Tube Mode, 8-Position Function

Switch, Value UP/DOWN, Rotor Upper/Lower: Slow speed, Fast Speed, Rise Time, Fall Time, Break Time, Horn Level, Lower Level, Bass Level, Preset 1-2, Memory, Channel Mode: STA Mono/Stereo Cabinet: High impact, black leather-like finish. 20" (W) v, 20 ½" (D) v, 13" (H). Weight: 50 lbs

Leslie 2101 Rear Panel



Multi-Channel Leslies

Leslie 2121 Stationary Unit

The Leslic 2121 is a high-powered stationary unit, specially designed to complement the Leslic 2101. When performing before a large audience, or simply, when you desire a lot more depth in your sound, the Leslic 2121 is a perfect choice. This Leslic features a two-channel amplifier. The bass channel contains a 50w RMS amplifier and a high-efficiency horn tweeter. This unit is engineered to provide a tremendous sound output without distortion, reproducing very high and very low

frequencies with amazing fidelity. The Leslie 2121 also has separate volume, bass, and treble controls. To facilitate easy connection to your musical instrument, '4" input jacks are provided. Input #1 is specially designed to work with an external microphone. An XLR type input jack is provided. The Leslie 2121 is designed for travel. The cabinet has a high-impact, black leatherlike finish with corner protectors. Rugged casters have also been provided to assist you in your transport of your Leslie 2121.



Diagram of model 2101 mk2




Diagram of model 2121

Specifications:

Power Output: Bass 150 W RMS, Horn 50 W RMS

Speakers: 15" Woofer, Horn Tweeter

Terminals: Input 1 (MIC/LINE) XLR Type w/Phantom plus Phone Jack, Insert (SEND, RETURN), Line Input 2 & 3 Phone Jack, Line out, Phone Jack, Remote Power Input

Controls: Volume 1, 2, 3, Master Volume, Tone Control (BASS, TREBLE)

Cabinet: High Impact, black leather-like finish, 20" (W) x 20 1/2" (D) x 30" (H), Weight: 86 lbs

2121 Rear Panel



Model G27 and G37



Take Your Guitar For A Spin!

The models G37 and G27 are the first genuine Leslies that are voiced specifically for electric and acoustic/electric guitar. To start, the G37/27 is about ½ the size and weight of a traditional Leslie. But inside, there is, the traditional patented molded ABS Leslie horn with a specially selected driver, and a 127 full-range guitar speaker firing down into the patented custom molded foam drum. The crossover points are set to compliment the sonic range of guitars.

There are new D.C. motors driving the rotary elements that are the quietest ever used in a Leslie speaker. You switch the Leslie's speech bottween slow, fast, and stop with a guitar-amp style footiswitch (FS-10TL). In a Leslie first, when the rotary elements are called to "stop", the horn and drum line up to send all sound out the front grills. This allows the G37/27 to be used as a traditional

guitar amp without the rotary effects, if desired. The other new exciting feature is the V-20RT variable speed control pedal (or "gas pedal" as we have come to call it). This optional pedal allows infinite hand free control of the Leslies Speed. As you denress the pedal, the faster

the rotation speed.

Specifications for Leslie G37 and G27

Featuring Exclusive Pedal Speed Control Circuitry (Patent Pending)

Single-Channel Input: Features low and high gain input jacks

Two-Speed Horn & Bass Rotor: Slow/fast speeds can be individually adjusted. Horn and bass rotor will automatically stop in the forward position when the stop mode is selected. This maximizes the sound towards the audience

Amplifier (Leslie G37 only): Vacuum tube preamp with a 100-Watt RMS solid-state power amplifier. Speaker Input (Leslie G27 only): Leslie's speaker system is capable of handling an external amplifier up to 100 Watt RMS

Speakers: 12" vintage V30 speaker made with all original materials and a high-frequency horn driver. Control Inputs: Channel Select foot switch, speed select foot switch (slow, fast, stop), variable speed Control pedal (V-20RT)

Controls (Leslie G37 only): Clean volume, Ch select Overdrive: Gain, Volume, Contour Equalizer: Treble, Mid, Bass

Controls Leslie G7 & G37: Slow rotor speed: fast rotor speed. Power switch

Cabinet: Rugged-built, black painted cabinet is constructed of ¾" MDF, with protective corners and two folding handles.

Weight: Leslie G37: 100 lbs, Leslie G27: 92 lbs

Included Accessories: FS-10TL Dual foot switches, (16' cord included), enables the control of the speed of the rotors (slow, fast, stop).

Optional Accessories: V-20RT Speed control pedal, FS-1TL single foot switch used to remotely control Channel Select


Guitar Leslies

The G37's onboard system has a tube preamp with 3 band EQ, and a powerful 100 wat solid-state power amp. You can switch between clean and overdrive channels with our optional FS-1TL footswitch. If you wish to use your own amplifier (maximum of 100 W RMS), then the G27 is for you. It has all the same features of the G37 Leslie without the on-board amp.

The G37/27's uses extend beyond guitar. Electronic violin and melodian, harmonica, amplified saxophones, and vocals sound great with this system. From British psychedelia to Texas Blues, from NY punk to LA cool jazz, the guitar Leslie G37/27 is the ULTIMATE addition to your sonic arseni.



Diagram of models G37



signal input





Rear Panel of G37



Optional Accessories

1122 kit	1147 kit	1174 kit	1188 kit	1197 kit		
3	33			Æ,		
6122 kit	6147 kit	9770 kit	611 kit	XM-11 Adapter		
	28		5			
XM-22 Adapter	XM-47 Adapter	6 pin Power Relay	9 pin Power Relay	11 pin "Y" Adapter		
11 pin Stereo "Y" Adapter	6,9 or 11 Cond. Cable Assy	5 to 6 pin Leslie Adapter	Tremolo/Chorale Switch	Main/Echo Switch		
0	30', 50', 100'	30', 50', 100'		- Land Land Land Land Land Land Land Land		
FS-9H Foot Switch	FS-10TL Foot Switch	FS-1TL Foot Switch	XLD-811 Adapter	V-20RT Speed Control Pedal		
	- 100					

Please consult with our product accessory guide on our website (hammondorganco.com) to determine which accessory(s) has been designed to work with your Leslie product. Also visit our website or your local Hammond/Leslie dealer to learn about our complete line of genuine Hammond organ and Leslie Speaker accessories.

Specifications

Models	122A	122XB	147A	971	525	3301	3300	2101mk2	2121	G37	G27
									-		
Dimensions (W)	29 1/4"				28 7/8"	18 3/4"	25"	20 1/2"	20 1/2"	20"	20"
Dimensions (D)	20 5/8"				20 3/8"	20 3/8"	20 1/2"	20"	20"	20 1/4"	20 1/4"
Dimensions (H)	41 5/8"				18 3/8"	28 3/8"	35 1/4"	13"	30"	26 1/2"	26 1/2"
Weight	149 lbs				99 lbs	100 lbs	125 lbs	51 lbs	86 lbs	100 lbs	92 lbs
Leslie Connector	6 pin	11 pin	6 pin			11 pin					
DIN Connector					8 pin						
Line Input (1/4" Phone Jack)		~		~	~	~	~	~	~		
Guitar Input (1/4" Phone Jack)										~	
Speed Select Switch (1/4" Phone Jack)		~		~			~	~		~	~
Var. Speed Pedal Input (1/4" Phone Jack)										~	~
MIDI Input								~			
Fwd. facing rotors in stop mode								~		~	~
Tube Pre Amp (Solid State Power Amp)							~	~		~	
All Tube Amplification	~	~	~								
Rotary Channel Horn Rotor Drum Rotor				80W 220W			80W 220W	50W		100W	no amp
Stationary Channel Treble					80 22	W		150W	200W		

[✓] Standard feature

For use with Hammond Organs, Electric Melodion, and Electric Guitars

		122A	122XB	147A	971	971 and 525	122XB and 525	3300	2101	21 System	G37	G27
XB-2, XK-2, XK-3, XK-3c			0		0			0	0	0		
XK-1								0	0	0		
906, 926, 935						0	0					
A-305, A-405, 910, 920						0	0					
XB-3M, XC-3M						0	0					
Portable B-3, Portable B3mk2			0		0			0	0	0		
New B-3/C-3, B3mk2, C3mk2			0		0							
XE-1, XE-2, XE-200, XT/XH						0	0		0	0		
Old Model B3, C3	*	0	0		0							
Old Model RT	*	0										
Old Model M Series	*	0		0								
Old Model L Series	*	0		0								
Hammond 44 (electric melodion)									0		0	0
Electric Guitar (acoustic/electric)								0			0	0

O Best Leslie choice(s) for this Hammond product

^{*} Hookup kit is required. Available at your Hammond / Leslie dealer.



Hammond Suzuki USA, Inc

743 Annoreno Drive Addison, IL 60101 Phone: 1-888-ORGAN B3

Fax: 630-543-0279 www.hammondorganco.com